CAHILL GRATES

NO. 32

FIREPLACE • TRIMMINGS

CHATTANOOGA ROOFING & FOUNDRY CO., CHATTANOOGA, TENNESSEE

CATALOG No. 32

CAHILL GRATES

FIREPLACE TRIMMINGS

CAHILL

Manufactured by

CHATTANOOGA ROOFING & FOUNDRY COMPANY

CHATTANOOGA, TENNESSEE, U. S. A.

J. E. ANNIS, President

B. F. ANNIS, Manager Grate Dept.

INDEX

	Pages
Andirons	63 to 69
Angles—Corner—Wrought Iron	75
Ash Chute	80
Ash Pit Door and Frame	80
Ash Traps	80
Baskets—Adjustable	48
Baskets—Club House	61
Baskets—Combination Grate	49
Baskets—Common (Plain) Grate	49
Baskets—Portable	57 to 60
Baskets—Wood Holder	79
Coal Chute	80
Coal Hole Ring and Cover	82
Dampers	81
Dog Irons	69
Fenders—Brass	79
Fenders—Cast Iron	79
Fenders—Wrought Iron	78
Fireplace—"Pottry" Brick	83
Frames—Brass	79
Frames—Cast Iron Strip	62
Frames and Fronts—Wrought Iron	71
Frames—Hoods Attached—Wrought Iron	76
Frames—Wrought Iron	76 to 77
Fronts—One-Piece Stamped Steel	55 to 56
Grates—Combination	5 to 41
Grates—Mounted	42 to 47
Grates—Plain (Common)	50 to 51
Hoods with Arch Bar	72 to 74
Linings—Fireplace	52 to 54
Shoe Lasts	82
Stove—Charcoal	82
Trivets	82
Wrought Iron Trimmings	70 to 79

INFORMATION

16 and 17 TILE SIZES

Combination Grate Frames are furnished in two standard sizes outside.

The 16-Tile size measures 24½ inches wide and 30¼ inches high outside.

The 17-Tile size measures 30½ inches wide and 30¼ inches high outside.

SIZE OF OPENING

18 inches, 20 inches, and 24 inches are standard sizes for Combination Grate openings. A few designs in this catalog can be furnished with 16-inch opening.

For details of Baskets see page 49.

SPECIAL SIZES

When equipment is desired for odd size fireplaces, we recommend Wrought Iron Fixtures, as shown in Wrought Iron Section, begining page 70.

STYLES OF FINISH
(And Abbreviations)

BLK. Berlin Black ..... **Stock Finish.**
O. B. Oxydized Brass ..... **Stock Finish.**
O. C. Oxydized Copper ..... **Stock Finish.**

A. B. Antique Brass ..... Regular Finish.
B. B. Bright Brass ..... Regular Finish.
D. B. Dull Brass ..... Regular Finish.
A. C. Antique Copper ..... Regular Finish.
B. C. Bright Copper ..... Regular Finish.
F. G. Flemish Gray ..... Regular Finish.

Brush Brass.
Burnt Brass.
Hammered Brass.
Sweedish Brass (Matt Brass.)
Verde Antique.
Nickel (Oxydized or Plain.)

(Do not abbreviate, write in full)

If plated goods are ordered, without specifying style of finish, Oxydized Copper will be furnished.

All CAHILL Products bear the CAHILL  Shopmark.

PERPETUAL SERVICE

It is hoped that this catalog will play a part in your business. To do so, it must be constantly at hand. It must be at your elbow, so to speak, a ready reference for accurate and exact information.

After leaving our office, its usefulness depends upon you. Preserve it on your desk. Consult it upon every occasion. It cannot outgrow its usefulness as long as fireplace fixtures are in demand, and you are prepared to meet that demand with CAHILL Grates.





No. 42 Wrought Iron Frame and Hood

SEE WROUGHT IRON SECTION BEGINNING PAGE 70



16-Tile 20″ Opening

No. 508-707 Combination

Cast Iron Summer Front

17-Tile 24″ Opening

No. 510-709 Combination

Cast Iron Summer Front

COMBINATION GRATES



16-Tile 20″ Opening

No. 508-708 Combination

Cast Iron Summer Front



17-Tile 24″ Opening

No. 510-710 Combination

Cast Iron Summer Front

COMBINATION GRATES



16-Tile 20″ Opening

No. 504-339 Combination

Cast Iron or Sheet Steel Summer Front



17-Tile 24″ Opening

No. 506-342 Combination

Cast Iron or Sheet Steel Summer Front

COMBINATION GRATES



16-Tile 20″ Opening

No. 504-340 Combination

Cast Iron or Sheet Steel Summer Front



17-Tile 24″ Opening

No. 506-344 Combination

Cast Iron or Sheet Steel Summer Front

COMBINATION GRATES

16-Tile 20″ Opening

No. 434-326 Combination

Cast Iron or Sheet Steel Summer Front

17-Tile 20″ Opening

No. 436-326 Combination

Cast Iron or Sheet Steel Summer Front

COMBINATION GRATES



16-Tile 20″ Opening

No. 434-324 Combination

Cast Iron or Sheet Steel Summer Front



17-Tile 20″ Opening

No. 436-324 Combination

Cast Iron or Sheet Steel Summer Front

COMBINATION GRATES

16-Tile 20″ Opening

No. 456-333 Combination

Cast Iron or Sheet Steel Summer Front

17-Tile 20″ Opening

No. 458-333 Combination

Cast Iron or Sheet Steel Summer Front

COMBINATION GRATES

16-Tile 20″ Opening

No. 456-335 Combination

Cast Iron or Sheet Steel Summer Front



17-Tile 20″ Opening

No. 458-335 Combination

Cast Iron or Sheet Steel Summer Front

16-Tile 20″ Opening

No. 490-690 Combination

Cast Iron Summer Front

17-Tile 20″ Opening

No. 492-690 Combination

Cast Iron Summer Front



16-Tile 20″ Opening

No. 490-694 Combination

Cast Iron Summer Front

17-Tile 20″ Opening

No. 492-694 Combination

Cast Iron Summer Front

COMBINATION GRATES

17-Tile 24" Opening

No. 460-660 Combination

Cast Iron or Sheet Steel Summer Front

17-Tile 24" Opening

No. 460-658 Combination

Cast Iron Summer Front

COMBINATION GRATES

16-Tile 20″ Opening

No. 462-615 Combination

Cast Iron or Sheet Steel Summer Front

16-Tile 20″ Opening

No. 500-336 Combination

Cast Iron or Sheet Steel Summer Front

16-Tile 20″ Opening

No. 428-628 Combination

Cast Iron or Sheet Steel Summer Front

17-Tile 20″ Opening

No. 430-628 Combination

Cast Iron or Sheet Steel Summer Front

COMBINATION GRATES

16-Tile 20″ Opening

No. 452-609 Combination

Cast Iron or Sheet Steel Summer Front

17-Tile 24″ Opening

No. 450-650 Combination

Cast Iron or Sheet Steel Summer Front

COMBINATION GRATES

16-Tile 20″ Opening

No. 452-611 Combination

Cast Iron or Sheet Steel Summer Front

16-Tile 20″ Opening

No. 452-613 Combination

Cast Iron or Sheet Steel Summer Front

COMBINATION GRATES

16-Tile 20″ Opening

No. 452-711 Combination

Cast Iron Summer Front

17-Tile 20″ Opening

No. 446-607 Combination

Cast Iron Summer Front

17-Tile 20″ Opening

No. 446-674 Combination

Cast Iron or Sheet Steel Summer Front

17-Tile 20″ Opening

No. 446-676 Combination

Cast Iron or Sheet Steel Summer Front

16-Tile 20″ Opening

No. 444-601 Combination

Cast Iron Summer Front



16-Tile 20″ Opening

No. 444-603 Combination

Cast Iron Summer Front

16-Tile 20″ Opening

No. 422-259 Combination

Cast Iron or Sheet Steel Summer Front

16-Tile 20″ Opening

No. 422-275 Combination

Cast Iron or Sheet Steel Summer Front

16-Tile 20″ Opening

No. 422-316 Combination
Cast Iron Summer Front
5″ Stove Pipe Hole

16-Tile 20″ Opening

No. 422-310 Combination
Cast Iron Summer Front

16-Tile 20″ Opening

No. 422-261 Combination

Cast Iron Summer Front

16-Tile 20″ Opening

No. 422-265 Combination

Cast Iron Summer Front

16-Tile 20″ Opening
No. 422-314 Combination

Cast Iron or Sheet Steel
Summer Front

16-Tile 20″ Opening
No. 422-320 Combination

COMBINATION GRATES

16-Tile 20″ Opening
No. 422-676 Combination

Cast Iron or Sheet Steel
Summer Front

17-Tile 20″ Opening
No. 446-320 Combination

COMBINATION GRATES

16-Tile 18″ Opening

No. 422-224 Combination

Cast Iron or Sheet Steel Summer Front

16-Tile 18″ Opening

No. 422-322 Combination

Cast Iron or Sheet Steel Summer Front

16-Tile 18″ Opening

No. 502-338 Combination

Cast Iron or Sheet Steel Summer Front

16-Tile 18″ Opening

No. 502-337 Combination

Cast Iron or Sheet Steel Summer Front

16-Tile 20″ Opening

No. 416-287 Combination

Cast Iron Summer Front

16-Tile 20″ Opening

No. 416-319 Combination

Sheet Steel Summer Front

With or Without
5″ Pipe Hole

16-Tile 20″ Opening

No. 418-249 Combination

Cast Iron Summer Front

17-Tile 20″ Opening

No. 420-253 Combination

Cast Iron Summer Front

17-Tile 24″ Opening

No. 424-269 Combination

Cast Iron Summer Front

17-Tile 24″ Opening

No. 424-513 Combination

Sheet Steel Summer Front

COMBINATION GRATES

17-Tile 24″ Opening

No. 480-269 Combination

Cast Iron Summer Front

17-Tile 24″ Opening

No. 480-680 Combination

Cast Iron Summer Front

COMBINATION GRATES

No. 474 Open

Front Removed Showing Basket in Place

17-Tile 20″ Opening

No. 474-674 Combination

Cast Iron or Sheet Steel Summer Front

COMBINATION GRATES

17-Tile 24″ Opening

No. 470-331 Combination

Cast Iron Summer Front

17-Tile 24″ Opening

No. 470-670 Combination

Cast Iron Summer Front

COMBINATION GRATES

16-Tile 20″ Opening

No. 472-613 Combination

Cast Iron or Sheet Steel Summer Front

16-Tile 20″ Opening

No. 472-314 Combination

Cast Iron or Sheet Steel Summer Front

16-Tile 20″ Opening

No. 472-672 Combination

Cast Iron Summer Front

16-Tile 20″ Opening

No. 472-676 Combination

Cast Iron or Sheet Steel Summer Front

COMBINATION GRATES

16-Tile 20″ Opening

No. 432-318 Combination
Cast Iron Summer Front
5″ Stove Pipe Hole

16-Tile 20″ Opening

No. 432-303 Combination
Cast Iron Summer Front

COMBINATION GRATES



496 Open
Front removed showing Superior Basket in place

No. 498-698
As 18" Combination

No. 496-696
16-Tile 18" and 20" Opening
Sheet Steel Summer Front

COMBINATION GRATES

220 Open—Front removed showing Favorite Basket in place

No. 216-305
As 16" Combination

No. 218-307
As 18" Combination

No. 220-309
16 Tile 16"-18"-20" Opening
Cast Iron or Sheet Steel Summer Front

FAVORITE—Open

Front removed showing
Favorite Basket in place

FAVORITE

16-Tile 16″ 18″ 20″ Opening

No. 116-222 as 16″ Combination
No. 118-224 as 18″ Combination
No. 120-226 as 20″ Combination
Cast Iron or Sheet Steel Summer Front

16-Tile 18″ Opening

No. 80-221 Combination
Cast Iron Summer Front

17-Tile 24″ Opening

No. 80-255 Combination
Cast Iron Summer Front

No. 4 SETTING

COMBINATION GRATES

16-Tile 20″ Opening

No. 400-209 Combination

Cast Iron Summer Front

16-Tile 20″ Opening

No. 400-231 Combination

Cast Iron Summer Front

No. 4 SETTING

16-Tile 20" Opening

No. 438-329 Combination

Cast Iron Summer Front

17-Tile 24" Opening

No. 440-331 Combination

Cast Iron Summer Front

RADIANT SETTING

COMBINATION GRATES

VICTOR

Side View Showing Worm Gear Control for operating Dampers. An exclusive feature of our Mounted Grates.

VICTOR

17-Tile 20″ Opening

Front View Showing Tile Back and Sides

THE VICTOR

MOUNTED GRATES

16-Tile 20″ Opening

Victor, No. 416-243

Cast Iron Summer Front

17-Tile 20″ Opening

Victor, No. 414-244

Cast Iron Summer Front

THE VICTOR

MOUNTED GRATES

CRAFCO

16-Tile 20″ Opening

Front View

The Crafco Is Equipped with Tile Back and Sides, Dampers and Worm Gear Control, as Shown for Victor, Page 50.

16-Tile 20″ Opening

Crafco, No. 504-339

Cast Iron or Sheet Steel Summer Front

THE CRAFCO

MOUNTED GRATES

CRAFCO

17-Tile 24" Opening

Front View Showing Tile
Back and Sides

17-Tile 24" Opening

Crafco, No. 506-342

Cast Iron or Sheet Steel Summer Front

THE CRAFCO

MOUNTED GRATES

MOUNT LOOKOUT
Side View Showing
Damper Control

MOUNT LOOKOUT
16-Tile 20" Opening
Front View Showing Double Dampers,
Tile Back and Iron Sides

THE MOUNT LOOKOUT

MOUNTED GRATES

16-Tile 20″ Opening

Mount Lookout No. 412-233 Combination

Cast Iron Summer Front

17-Tile 20″ Opening

Mount Lookout No. 414-241 Combination

Cast Iron Summer Front

THE MOUNT LOOKOUT

MOUNTED GRATES



Front View

Adjustable Grate Baskets

"E-Z-Fit" Adjustable Grate Basket

Patented December 12, 1905

6½" Deep



Back View

Quickly lengthened or shortened to size wanted.

Series No. 1 E-Z-FIT for 14, 15, 16 and 17-inch frames.

Series No. 2 E-Z-FIT for 17, 18, 19 and 20-inch frames.

Series No. 3 E-Z-FIT for 21, 22, 23 and 24-inch frames.

Method of adjusting basket: Loosen the bolts and lengthen or shorten basket to size wanted, then tighten the bolts and the work is complete.

Hang basket in frame in usual manner, on adjustable hooks first, and they will automatically adjust themselves to suit lugs spaced any distance apart on frames.

"Enterprise" Adjustable Hook Grate Basket

Patented September 20, 1904



Sizes 14" 15" 16" 17" 18" 19" 20" 6½" Deep

All annoyance of non-fitting baskets removed.

Lower hooks adjustable to suit lugs spaced any distance apart on frames.

"Enterprise" Baskets have long, detachable lower hooks and two sockets on each side. The hooks are sufficiently long to reach from one socket to the other, so as to catch lug at any point on frame.

Directions for hanging: Hang in usual manner by upper hooks, then insert detached hook in socket most convenient to catch lug on frame, and the basket is securely locked.



CHEERFUL
20″ Wide 6½″ Deep
15¼″ Wide at Back

IDEAL
20″ Wide, 9″ Deep, 14½″ Wide at Back
24″ Wide, 7″ Deep, 19¼″ Wide at Back



No. 3
18″, 20″ and 24″ Wide, 7½″ Deep



SUPERIOR
18″, 20″ and 24″ Wide, 7½″ Deep

JEWEL
20″ Wide, 7″ Deep, 15½″ Wide at Back

No. 5
20″ Wide, 9″ Deep, 14½″ Wide at Back
24″ Wide, 7″ Deep, 19½″ Wide at Back



No.4
18″ and 20″ Wide, 7″ Deep

ACME
20″ Wide, 6½″ Deep

EXCELSIOR
20″ Wide, 7″ Deep, 15¼″ Wide at Back



Back View Typical of
this Group



Back View Typical of
this Group



RADIANT
20″ and 24″ Wide, 8½″ Deep
Used only with Radiant Settings

COMMON
12, 13, 14, 15, 16, 17, 18, 19, 20″ Wide
6″ Deep
Used only with Diamond and
No. 2 Plain Grates



FAVORITE
16″, 18″ and 20″ Wide, 6½″ Deep
Used only with Favorite Combination

GRATE BASKETS

No. 2
Three-Piece with Crown

No. 2
Three-Piece with Fender

12" 13" 14" 15" 16" 17" 18" 19" 20" Opening

PLAIN GRATES



Diamond

Three-Piece with Crown

Diamond

Three-Piece with Fender

14″ 16″ 18″ 20″ Openings Only

PLAIN GRATES



No. 2 Iron Lining

24″ or 27″ Back. 12″ 15″ 18″ or 20″ Sides

30 inches High

No. 5 Iron Lining

20″ 24″ or 27″ Back. 12″ or 15″ Sides

30 inches High

No. 10 Iron Lining

24″ 27″ or 30″ Back. 12″ or 15″ Sides

30 inches High

No. 14 Iron Lining

20″ 24″ or 27″ Back. 10″ 12″ 15″ or 18″ Sides

30 inches High

FIREPLACE LININGS

No. 20 Stamped Steel Lining

20″ 24″ 27″ or 30″ Back. 12″ or 15″ Sides

30 inches High

PRESSED STEEL ONE-PIECE FRAMES AND FRONTS

16-Tile **No. 911**

With Stove Pipe Hole

Made of Stamped Steel in one piece

16-Tile **No. 912**

16-Tile **No. 907**

With Stove Pipe Hole

Made of Stamped Steel in one piece

16-Tile **No. 908**

16-Tile **No. 910**

With Stove Pipe Hole.

Made of Stamped Steel in one piece.

17-Tile **No. 909**

16-Tile **No. 906**

PRESSED STEEL ONE-PIECE FRAMES AND FRONTS



No. 172
20″, 22″, 24″, 26″, 28″, 30″, 36″ Front
12″ Deep

No. 173
20″, 22″, 24″, 26″, 30″, 36″ Front
12″ Deep

PORTABLE BASKETS



No. 168
20″, 22″, 24″, 26″, 30″ Front
12″ Deep



No. 166
20″, 24″, 26″ Front
12″ Deep

No. 161
24″ Front
12″ Deep

No. 171
20″, 22″, 24″, 26″, 30″ Front
12″ Deep

No. 165
20″, 24″, 26″ Front
12″ Deep

No. 164
20″, 24″ Front
12″ Deep

PORTABLE BASKETS

No. 167
20″ 22″ 24″ 26″ 30″ Front
12″ Deep

No. 169
20″ 22″ 24″ 26″ 30″ Front
12″ Deep

No. 170
20″ 22″ 24″ 26″ 30″ 36″ Front
12″ Deep

No. 163
24″ Front
12″ Deep

No. 162
20″ 24″ Front
14″ Deep
With or Without Crown

PORTABLE BASKETS



No. 1195

Size of Basket—20″ 22″ 24″ 26″ 30″ 36″ Front

12″ Deep

Basket and Andirons Combined

Basket Interchangeable with Any Design of Andiron Shown in This Catalogue



No. 1199

Size of Basket—20″ 22″ 24″ 26″ 30″ 36″ Front

12″ Deep

Basket and Andirons Combined



No. 1827

18″ 20″ 24″ Front

10″ Deep



No. 1828

20″ 22″ 24″ 26″ 30″ 36″ Front

12″ Deep



No. 150
20″ Front—8″ 10″ or 12″ Deep
26″ Front— 10″ or 12″ Deep

No. 153
20″ Front—8″ 10″ or 12″ Deep
21½″ 26″ Front— 10″ or 12″ Deep



No. 152
18″ 20″ Front—8″ 10″ or 12″ Deep
26″ Front— 10″ or 12″ Deep



No. 154
21½″ 24″ 27½″ Front— 10″ or 12″ Deep
18″ 20 ″ Front—8″ 10″ or 12″ Deep



No. 155
24″ 27½″ Front— 10″ or 12″ Deep
20 ″ Front—8″ 10″ or 12″ Deep

No. 1835
20″ Front—11″ Deep

CLUB HOUSE BASKETS

No Summer Fronts to Fit These Frames



Nos. 72 60 58 56

Nos. 56, 58, 60, 2" Wide
No. 72, 1½" Wide
16- or 17-Tile

CAST IRON STRIP FRAMES

No. 801
22″ High

No. 802
22″ High

ANDIRONS



No. 802-B with Poker
No. 802 without Poker
22″ High

HAMMERED EFFECT — FLEMISH GRAY FINISHED EITHER BLACK OR PLATED



No. 197-B with Poker
No. 197 without poker
22″ High

No. 198-B with Poker
No. 198 without Poker
26″ High

ANDIRONS



No. 190-B with Poker
No. 190 without Poker
21½" High



No. 801-B with Poker
No. 801 without Poker
22" High

HAMMERED EFFECT — FLEMISH GRAY FINISHED EITHER BLACK OR PLATED

ANDIRONS

No. 800
16" High
Hammered Effect



No. 806
14½" High
Hammered Effect

No. 199
16½" High
Hammered Effect



No. 195
15" High

No. 194
23″ High

No. 191
14″ High



No. 192
18½″ High

(This Design furnished in two sizes.)

No. 193
22″ High

No. 190
21½″ High

ANDIRONS



No. 180
18½" High



No. 182
14½" High



No. 183
20" High



No. 187
24" High

ANDIRONS

No. 188
25″ High

No. 196
15″ High
Hammered Effect

ANDIRONS

No. 1828
No. 1 13″ High
Nos. 2 and 3 11″ High

No. 1829
12½″ High

Size	Length of Shank	Weight per Pair
No. 1	14 Inches	22 Pounds
No. 2	12 Inches	18 Pounds
No. 3	10 Inches	15 Pounds

No. 1836
13½″ High

No. 1837
15″ High

10″, 12″ or 14″ Shank
Weight about 25 Pounds Per Pair

DOG IRONS

WROUGHT IRON TRIMMINGS

OPEN FIREPLACE TREATMENT

Of the different styles of open fireplace furnishing, nothing has proved so entirely acceptable as Wrought Iron Trimmings. Used in connection with appropriate accessories, such as Portable Baskets or Andirons, this style of equipment offers an endless variety of treatment.

Wrought Iron lends itself equally well to elaborate ornamentation or to simple effects. It harmonizes perfectly with the materials now employed for fireplace construction, and tones into the brick or tile mantel as no other form of trimming.

Chiefly because of its adaptable nature, the Wrought Iron Fixture is in constant demand for special size fireplaces, and where individual effects are desired. Obviously, we are unable to give more than a faint idea of its many possible uses, and have confined ourselves here to a few effective designs, which we feel are most suggestive and practical.

TO ARCHITECTS

We welcome the opportunity to execute special designs from architect's drawings. Sketches submitted for fireplace outfits will be given careful and prompt attention. In this way, ideas for special effects, in keeping with the decorative scheme, may be developed to match the setting.

INFORMATION

For convenience, Wrought Iron Frames, as well as Hoods and Arch Bars, are catalogued in standard stock sizes. Each standard size is identified by outside measurements, as 16, 17 or 18 Tile.

The 16 Tile size measures $24\frac{1}{2}$ inches wide and $30\frac{1}{4}$ inches high, outside.

The 17 Tile size measures $30\frac{1}{4}$ inches wide and $30\frac{1}{4}$ inches high, outside.

The 18 Tile size measures $36\frac{1}{2}$ inches wide and $30\frac{1}{4}$ inches high, outside.

SPECIAL SIZES

When ordering Wrought Iron Trimmings in special size, it is important to specify either the dimensions of piece required, or measurements of fireplace opening.

We recommend, if possible, that dimensions be given for fireplace opening, when trimming can be made to fit.



No. 41 Frame and Front
17 and 18-Tile Stock Sizes
Made Special to Order to Fit Any Size Opening

No. 23 Frame and Front
17 and 18-Tile Stock Sizes
Made Special to Order to Fit Any Size Opening

No. 46 Hood and Arch Bar

No. 50 Hood and Arch Bar

No. 45 Hood and Arch Bar

No. 48 Hood and Arch Bar

HOODS WITH ARCH BAR

The Hood and Arch Bar Equipment includes Arch Bar provided with Slot and Key for attaching Hood in place.

Each design is made in three standard sizes.

The 16-Tile size will fit any fireplace opening from 18 to 24 inches wide.

The 17-Tile size, any opening from 24 to 30 inches wide.

The 18-Tile size, any opening from 30 to 36 inches wide.

Each standard size Hood therefore has an adjustable range of 6 inches, an exclusive feature of our Hood and Arch Bar Equipment.

Special sizes made to order.

Any design of Hood shown can be furnished with Trims to match. See cut on following page and assortment of Trims on page 74.

To install, use Bar furnished with outfit for supporting the tile or brick arch. Then lock Hood snugly and securely in position **after** construction of fireplace is completed.

No. 47 Hood and Arch Bar



No. 49 Hood and Arch Bar

No. 51 Hood and Arch Bar
No. 951 Trims

Above cut illustrates use of Hood and Arch Bar in connection with Fireplace Trims. Any design of Hood can be furnished with Trims to match. See page 74 for assortment of Trims.

HOODS WITH ARCH BAR

No. 46 Hood and Arch Bar

No. 946 Trims
No. 924-B Corner Angles
No. 800 Andirons
No. 1002 Fender

No. 951

No. 946

Fireplace Trims made any length desired to fit height of opening. Intended for use in connection with Hoods and Arch Bar, as shown on pages 72 and 73.

No. 949

No. 950

FIREPLACE TRIMS

No. 933-B
With Brackets

No. 923-B
With Brackets

No. 924-B
With Brackets

No. 923

No. 932

No. 931
Plain

CORNER ANGLES

60″ Long, 1½″ Face, Regular Size — Made Any Size Desired

WROUGHT IRON TRIMMINGS

No. 41 Wrought Iron Frame and Hood
17 or 18-Tile (stock sizes) 1½" Face
Made Special to Order for Any Size Opening

No. 42 Wrought Iron Frame and Hood
1½" Face
Made Any Size Desired



No. 40 Wrought Iron Frame and Hood
16, 17 or 18-Tile (stock sizes) 1½" Face
Made Special to Order for Any Size Opening

FRAMES WITH HOODS ATTACHED



No. 23 Wrought Iron Frame
16, 17 or 18-Tile (stock sizes) 1½" Face
Made Special to Order for Any Size Opening

No. 32 Wrought Iron Frame
16, 17 or 18-Tile (stock sizes) 1½" Face
Made Special to Order for Any Size Opening

No. 32 Wrought Iron Frame
Hammered Effect—Flemish Gray
Made Any Size Desired

FRAMES

WROUGHT IRON TRIMMINGS



WROUGHT IRON FRAMES

16, 17, 18-Tile, 1½″ Face (Stock Sizes)

When ordering frames in special sizes, give exact measurements either of fireplace opening or of frame. If dimensions are given for frame, state whether specifications apply to inside or outside of frame.

Frames Made Special to Fit Any Size Fireplace Opening

WROUGHT IRON TRIMMINGS



No. 1003 Wrought Iron Fender
42″ and 54″ Long, 8″ High
Special Sizes Furnished to Order

No. 1007 Wrought Iron Fender
Made Special to Order Any Size Desired



No. 1006 Wrought Iron Fender
42″ and 54″ Long, 8″ High
Special Sizes Furnished to Order

No. 1004 Wrought Iron Fender
42″ and 54″ Long, 6″ High
Special Sizes Furnished to Order

WROUGHT IRON FENDERS



No. 1002 Cast Iron Fender
42″ and 54″ Long, 7″ High



No. 1008 Brass Fender
36″, 42″ and 54″ Long, 9″ High
Special Sizes Furnished to Order



No. 1100 Wood Holder
20″, 24″, 26″, or 30″ Long
Special Sizes Furnished to Order

No. 38 Brass Frame
16, 17, or 18-Tile (Stock Sizes) 1¼″ Face
Adjustable Corners
Made Special to Order for Any Size Opening



No. 1 Flat Ash Trap
7 x 9 Inches



No. 2 Flanged Ash Trap
6 x 9 Inches
8¼ x 12¾ Inches

No. 3 Automatic Ash Trap
5½ x 7½ Inches
6 x 12 Inches

No. 4119 Ash Pit Door and Frame

7 x 8½	Inches	Inside
8 x 12	"	"
10 x 12	"	"
12 x 12	"	"
12 x 16	"	"
16 x 20	"	"
18 x 24	"	"

No. 1692 Cast Iron Ash Chute
Size 11½" Wide, 14½" High

No. 4124 Cast Iron Coal Chute

Dimensions 18 x 24 Inches

Also furnished with shield to go through wall. Give thickness of wall when shield is wanted.

No. 6 Damper

22½ x 8 Inches
25½ x 8 Inches
28½ x 8 Inches



No. 4 Radiant Damper

23½ x 7 Inches
25½ x 7 Inches

CAHILL DOME DAMPER

28", 32", 34", 40", 46", 52", 58", 64"
2" Flange—12½" Depth

Damper Operated from Face of Fireplace



Sectional View

CAHILL DOME DAMPER

Showing Worm Gear Control for Operating Damper.

This control automatically locks door at any desired opening. No complicated mechanism—simple and efficient.



No. 1830

With Three Reversible Lasts. Stand Reinforced with Ribs on Both Sides.

Lasts Fit Perfectly.

Size	Height of Stand
No. 1	13 inches
No. 2	16 inches
No. 3	24 inches

No. 1826

Acme Shoe Last

Three in One

Approximate weight, 85 pounds per doz.

No. 1814

Cast Trivet

For Use on Grates

Anafe or Charcoal Stove

No. 1813

With Bottom Grate

No. 9—8½″ diam., 6¼″ high	5 lbs.
No. 10—9″ diam., 7″ high	8½ lbs.
No. 11—10¼″ diam., 8″ high	11 lbs.
No. 12—11½″ diam., 8½″ high	12 lbs.
No. 13—12″ diam., 9″ high	14 lbs.
No. 14—12¾″ diam., 9½″ high	17 lbs.

Anafe Top Grate

No. 9	2 lbs.	No. 10	3 lbs.
No. 11	4 lbs.	No. 12	5 lbs.
No. 13	6 lbs	No. 14	7 lbs.

No. 4122

Solid Cover

CAST IRON COAL HOLE RING AND COVER

Size Diameter 16″, 18″, 20″, 24″, 30″



CAHILL FIREPLACE FURNISHINGS

Shown in connection with "Pottry" Brick Fireplace

By courtesy

B. MIFFLIN HOOD BRICK CO.

Atlanta, Ga.





CAHILL FIREPLACE FURNISHINGS

Illustrated in connection with Tile Mantels

FOR FIXTURES SHOWN SEE PRECEDING PAGES

PRESS OF
PURSE PRINTING CO.
CHATTANOOGA